



Nice



IP cameras and video recorders

Indoor and outdoor cameras, network video recorders and accessories



Nice

Lite



Built-in microphone*



Built-in loudspeaker and microphone**



Night vision

High-resolution
IP cameras for
an easy and
reliable security

*with MyEye Dome Lite

**with MyEye Bullet Lite

Advanced



High-resolution
IP cameras
with AI powered
image analysis

Always connected



Advanced image analysis




Light and sound alarm



Built-in loudspeaker and microphone



High resolution colour 24/7



There is someone in front of your gate

Yubii Home App



GET IT ON
Google Play

Download on the
App Store



Nice

MyEye Bullet Lite

High-resolution wireless IP camera for universal use.

WORKS WITH NICE GATEWAYS:

Yubii Home Pro

Yubii Home


WORKS WITH FIBARO GATEWAYS:

Home Center 3

Home Center 3 Lite

ALSO WORKS WITHOUT A GATEWAY:

Stand Alone



4MPx

HIGH RESOLUTION



WIRELESS



BIDIRECTIONAL AUDIO



NIGHT VISION

IP67

PROTECTION CLASS

Yubii

IP

Wi-Fi

AVAILABLE ACCESSORIES

Code	Description
PFA134	Mounting box
PFA152-E	Pole adapter

Lite

MyEye Bullet Lite is a universal wireless IP camera designed to meet the typical day-to-day needs of your home.

With MyEye Bullet Lite you can:

- Observe the monitored area live in 4 MP high resolution even at night, thanks to the IR diodes with a range of up to 30 m.
- Store your data with the MyEye Recorder series recorders or an SD card.
- Communicate with people near the installation site (built-in loudspeaker and microphone).
- Thanks to the built-in WiFi, you can install the camera in a location without cables: all you need is the power supply unit (included with the camera).

Seamless integration with the Yubii ecosystem.

The MyEye Bullet Lite camera can not only operate autonomously, it can also be connected to the Yubii ecosystem.

After adding the device to the Yubii app surveillance panel, the user can use the motion sensor and anti-sabotage sensor (sudden image change) to trigger scenarios and/or alarms.

This device gives your Yubii ecosystem genuine "eyes" and becomes a natural expansion element of the system.



DESIGNED FOR END CONSUMERS



Yubii Home App



TECHNICAL SPECIFICATIONS

Code	Description	Pcs./pack	Certificates
MYEYEBULLETLITE	4 MP IP bullet camera with built-in WiFi, for outdoor/indoor use	1	CE

Code	MYEYEBULLETLITE
Protection class	IP67
Power supply	12V DC (power supply unit included)
Consumption	2.1W (12V DC) Max 6.1W (12V DC)
Operating humidity (RH)	0 - 95% (without condensation)
Operating temperature (°C Min/Max)	-30 - 50
Weight	350g
Dimensions (mm)	180 x 83.3 x 114.8 h

Nice

MyEye Bullet

High-resolution IP camera with advanced image analysis.

WORKS WITH NICE GATEWAYS:

Yubii Home Pro

Yubii Home

WORKS WITH FIBARO GATEWAYS:

Home Center 3

Home Center 3 Lite

ALSO WORKS WITHOUT A GATEWAY:

Stand Alone

5MPx

HIGH RESOLUTION

AI

SMART VIDEO SYSTEM

Light and Sound Alarm


LIGHT AND SOUND ALARM

24/7 COLOUR MODE

24/7 COLOUR MODE

IP67

PROTECTION CLASS



AVAILABLE ACCESSORIES

Code	Description
PFA135	Mounting box
PFA152-E	Pole adapter
PFA151	Angled adapter

Yubii

IP

Advanced

MyEye Bullet is a latest generation IP camera designed for active monitoring of areas requiring special attention with the best possible quality.

With MyEye Bullet you can:


- Observe the monitored area live in 5 MP high resolution colour both day and night.
- Store your data with the MyEye Recorder series recorders or an SD card.
- Keep potential intruders away with light and sound alarms.
- Minimise the number of false alarms (SMD - Smart Motion Detection).
- Communicate with people near the installation site (built-in loudspeaker and microphone).

Seamless integration with the Yubii ecosystem.

As well as being able to operate autonomously, the MyEye Bullet camera can also be connected to the Yubii ecosystem.

After adding the device to the Yubii app surveillance panel, the user can use the motion sensor (Standard or AI) to trigger scenarios and/or alarms.

The light and sound alarm incorporated in the device can be activated from the Yubii ecosystem.



TECHNICAL SPECIFICATIONS

Code	Description	Pcs./pack	Certificates
MYEYEBULLET	5 MP IP bullet camera with smart image analysis, for outdoor/indoor use	1	CE

Code	MYEYEBULLET
Protection class	IP67
Power supply	DC 12V (±30%) PoE DC 48V (802.3af)
Consumption	2.4W (12V DC), 3.1W (PoE) Max. 7.9W (12V DC), 9.7W (PoE) - H.265
Operating humidity (RH)	0 - 95% (without condensation)
Operating temperature (°C Min/Max)	-40 - 60
Weight	1000 g
Dimensions (mm)	94.4 x 288.4 x 84.7 h

Nice

MyEye Dome Lite

Compact high-resolution IP camera for universal use.

WORKS WITH NICE GATEWAYS:

Yubii Home Pro

Yubii Home


WORKS WITH FIBARO GATEWAYS:

Home Center 3

Home Center 3 Lite

ALSO WORKS WITHOUT A GATEWAY:

Stand Alone



5MPx

HIGH RESOLUTION



BUILT-IN MICROPHONE



NIGHT VISION

IP67

PROTECTION CLASS

AVAILABLE ACCESSORIES

Code	Description
PFA130-E	Mounting box
PFA13A-E	Mounting box
PFB205W-E	Wall support

Yubii

IP

Lite

MyEye Dome Lite is a universal IP camera designed to meet the typical day-to-day needs of your home.

With MyEye Dome Lite you can:

- Observe the monitored area live in 5 MP high resolution even at night, thanks to the IR diodes with a range of up to 30 m.
- Store your data with the MyEye Recorder series recorders.
- Monitor the installation site thanks to the built-in microphone.

Seamless integration with the Yubii ecosystem.

The MyEye Dome Lite camera can not only operate autonomously, it can also be connected to the Yubii ecosystem.

After adding the device to the Yubii app surveillance panel, the user can use the motion sensor and anti-sabotage sensor (sudden image change) to trigger scenarios and/or alarms.

This device gives your Yubii ecosystem genuine “eyes” and becomes a natural expansion element of the system.



DESIGNED FOR END CONSUMERS



Yubii Home App



TECHNICAL SPECIFICATIONS

Code	Description	Pcs./pack	Certificates
MYEYEDOMELITE	5 MP IP dome camera, for outdoor/indoor use	1	CE

Code	MYEYEDOMELITE
Protection class	IP67
Power supply	DC 48V / 53V, 1.25A / 1.138A
Consumption	2.1W (12V DC), 2.5W (PoE) Max 6.1W (12V DC), 4.5W (PoE)
Operating humidity (RH)	0 - 95% (without condensation)
Operating temperature (°C Min/Max)	-40 - 60
Weight	320g
Dimensions (mm)	ø94 x 85.6 h

Nice

MyEye Dome

High-resolution IP camera with advanced image analysis.

WORKS WITH NICE GATEWAYS:

Yubii Home Pro

Yubii Home


WORKS WITH FIBARO GATEWAYS:

Home Center 3

Home Center 3 Lite

ALSO WORKS WITHOUT A GATEWAY:

Stand Alone



5MPx

HIGH RESOLUTION

AI

SMART VIDEO SYSTEM

Light and Sound Alarm

LIGHT AND SOUND ALARM

24/7 COLOUR MODE

24/7 COLOUR MODE

IP67

PROTECTION CLASS

AVAILABLE ACCESSORIES

Code	Description
PFA137	Mounting box
PFB203W	Wall support
PFB305W	Wall support
PFA109	Additional support for PFB305W

Yubii

IP

Advanced

MyEye Dome is a latest generation IP camera designed for active monitoring of areas requiring special attention with the best possible quality.

With MyEye Dome you can:

- Observe the monitored area live in 5 MP high resolution colour both day and night.
- Store your data with the MyEye Recorder series recorders or an SD card.
- Keep potential intruders away with light and sound alarms.
- Minimise the number of false alarms (SMD - Smart Motion Detection).
- Communicate with people near the installation site (built-in loudspeaker and microphone).

Seamless integration with the Yubii ecosystem.

As well as being able to operate autonomously, the MyEye Dome camera can also be connected to the Yubii ecosystem.

After adding the device to the Yubii app surveillance panel, the user can use the motion sensor (Standard or AI) to trigger scenarios and/or alarms.

The light and sound alarm incorporated in the device can be activated from the Yubii ecosystem.



DESIGNED FOR END CONSUMERS



Yubii Home App

Download on the App Store

TECHNICAL SPECIFICATIONS

Code	Description	Pcs./pack	Certificates
MYEYEDOME	5 MP IP dome camera, for outdoor/indoor use	1	CE

Code	MYEYEDOME
Protection class	IP67
Power supply	DC 12V, PoE DC 48V (802.3af)
Consumption	2.1W (12V DC), 2.5W (PoE) Max 6.1W (12V DC), 4.5W (PoE)
Operating humidity (RH)	0 - 95% (without condensation)
Operating temperature (°C Min/Max)	-40 - 60
Weight	745g
Dimensions (mm)	ø122 x 110.9 h

Nice

MyEye Video Recorder Lite

Recorder for up to 4 IP cameras with built-in PoE switch.

WORKS WITH NICE GATEWAYS:

Yubii Home Pro

Yubii Home

WORKS WITH FIBARO GATEWAYS:

Home Center 3

Home Center 3 Lite

ALSO WORKS WITHOUT A GATEWAY:

Stand Alone

12MPx

HIGH RESOLUTION



BUILT-IN POE

1x 16TB

HIGH CAPACITY



IMMEDIATE NOTIFICATIONS



AVAILABLE ACCESSORIES

Code	Description
ST1000VX013	Seagate Skyhawk 1TB
ST2000VX017	Seagate Skyhawk 2TB
ST4000VX016	Seagate Skyhawk 4TB
ST8000VX010	Seagate Skyhawk 8TB

Yubii

IP

MyEye Video Recorder Lite is a compact professional recorder specifically designed to manage and store recordings from MyEye series IP cameras.

With MyEye Video Recorder Lite you can:


- Watch live camera footage on your TV, monitor or display device with HDMI or VGA input.
- Manage the cameras connected to the recorder en bloc and store camera recordings, thanks to the optional hard disk with a capacity of up to 16 TB.
- Power your MyEye series cameras thanks to the 4 PoE ports.

Seamless integration with the Yubii ecosystem.

MyEye Video Recorder Lite is not only an integral part of the monitoring system, it can also become part of the Yubii ecosystem.

After adding the device to the surveillance panel of the Yubii app, the user can automatically import all previously imported cameras into the recorder, without having to import each one individually.

This integration significantly reduces the time needed to install the system and makes it much easier to manage.



TECHNICAL SPECIFICATIONS

Code	Description	Pcs./pack	Certificates
MYEYEVIDEORECLITE	IP Video Recorder for 4 cameras, max. 12MP Built-in 4-port PoE switch	1	CE

Code	MYEYEVIDEORECLITE
Power supply	DC 48V / 53V, 1.25A / 1.138A (power supply unit included)
Consumption	NVR: ≤10W (without HDD) PoE: max. 25.5 W (per port), 36 W (entire power supply unit)
Fan	No
Operating humidity (RH)	10 - 93% (without condensation)
Operating temperature (°C Min/Max)	-10 - 55
Installation	Desktop
Weight	480g
Dimensions (mm)	204.6 x 206.4 x 45.6 h

Nice

MyEye Video Recorder

Recorder for up to 16 IP cameras.

WORKS WITH NICE GATEWAYS:

Yubii Home Pro

Yubii Home

WORKS WITH FIBARO GATEWAYS:

Home Center 3

Home Center 3 Lite

ALSO WORKS WITHOUT A GATEWAY:

Stand Alone

8MPx

HIGH RESOLUTION

2x
10TB

HIGH CAPACITY



IMMEDIATE NOTIFICATIONS

AVAILABLE ACCESSORIES

Code	Description
ST1000VX013	Seagate Skyhawk 1TB
ST2000VX017	Seagate Skyhawk 2TB
ST4000VX016	Seagate Skyhawk 4TB
ST8000VX010	Seagate Skyhawk 8TB



MyEye Video Recorder is a compact professional recorder specifically designed to manage and store recordings from MyEye series IP cameras.

With MyEye Video Recorder you can:

- Watch live camera footage on your TV, monitor or display device with HDMI or VGA input.
- Manage the cameras connected to the recorder en bloc and store camera recordings, thanks to the optional hard disk with a capacity of up to 20 TB.

Seamless integration with the Yubii ecosystem.

The MyEye Video Recorder is not only an integral part of the monitoring system, it can also become part of the Yubii ecosystem.

After adding the device to the surveillance panel of the Yubii app, the user can automatically import all previously imported cameras into the recorder, without having to import each one individually.

This integration significantly reduces the time needed to install the system and makes it much easier to manage.



DESIGNED FOR END CONSUMERS



Yubii Home App



TECHNICAL SPECIFICATIONS

Code	Description	Pcs./pack	Certificates
MYEYVIDEOREC	IP video recorder for 16 cameras, max. 8MP	1	CE

Code	MYEYVIDEOREC
Power supply	DC 12V / 4A (power supply unit included)
Consumption	Max 10W (without HDD)
Operating humidity (RH)	10 - 93% (without condensation)
Operating temperature (°C Min/Max)	-10 - 55
Installation	Desktop
Weight	1510g
Dimensions (mm)	375 x 282.4 x 53 h

Yubii

IP

Accessories

Dedicated hard disks



ST1000VX013
Seagate Skyhawk 1TB



ST2000VX017
Seagate Skyhawk 2TB



ST4000VX016
Seagate Skyhawk 4TB



ST8000VX010
Seagate Skyhawk 8TB

PoE switches and network accessories



PFS3006-4ET-36
6-port switch with 4 PoE ports (36 W)



PFS3006-4ET-60-V2
6-port switch with 4 PoE ports (60 W)



PFS3010-8ET-65
10-port switch with 8 PoE ports (65 W)



PFS3010-8ET-96-V2
10-port switch with 8 PoE ports (96 W)



PFS3218-16ET-135
18-port switch with 16 PoE ports (135 W)



PFS3226-24ET-240
26-port switch with 24 PoE ports (240 W)



PFM920I-5EUN
UTP cable cat.5e, white, cardboard, 305 m

Mounting boxes



PFA130-E
Mounting box for MyEye series IP cameras, 124mm, IP66



PFA134
Mounting box for MyEye Bullet Lite cameras, 90 mm



PFA135
Mounting box for MyEye Bullet cameras, 94 mm



PFA137
Mounting box for MyEye Dome cameras, 122mm



PFA13A-E
Mounting box for MyEye Dome Lite cameras, 96.7 mm



G3/4
Additional cable gland for mounting boxes

Mounting brackets



PFB205W-E
Wall bracket for MyEye Dome Lite cameras



PFB203W
Wall bracket for MyEye Dome cameras



PFB305W
Wall bracket (200 mm) for MyEye Dome cameras (additional PFA109 adapter required)



PFA109
Additional stand for PFB305W



PFA152-E
Adapter for 80-150 mm section poles



PFA151
Angled adapter

We make even the smallest of gestures extraordinary.

Nice, a world without barriers.

Automation and control systems for gates, garage doors, blinds, awnings and rolling shutters and alarm systems for all types of space, from private homes to large public buildings.

www.niceforyou.com

Nice SpA
Oderzo, TV, Italy



Nice cares for the environment.
Using natural paper it avoids
excessive use of raw materials and
forest exploitation.
Waste is reduced, energy is saved
and climate quality is improved.